

Contents

1. Documentation System	2
2. Category:Bike	6
3. Coffeemaker	8
4. Electric Pallet Truck Alligator	15
5. IT documentation	18
6. Impulse response	20
7. Technical documentation	22
8. User:WikiSysop	24
9. YourCompany	25

Documentation System

[Browse history interactively](#)

[VisualWikitext](#)

Revision as of 09:58, 6 December 2021 (view source)

[Demo writer](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): 2017 source edit

[← Older edit](#)

Revision as of 09:55, 3 May 2022 (view source)

[Demo writer](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): 2017 source edit

[Newer edit →](#)

Line 3:

A "'documentation system"' supports the company in archiving documents. These systems are of outstanding importance for the company to be able to reproduce processes, decisions and agreements.

Documentation systems are used in project documentation, technical documentation or IT documentation. In order for them to **fulfil** their purpose, it is necessary to be able to use them to quickly collect, categorize and retrieve information.

==Documentation in a wiki==

Wikis were developed to centrally collect and organize the knowledge of different experts. They are therefore ideal documentation systems and have long since become the standard documentation system, not least in IT.

Line 3:

A "'documentation system"' supports the company in archiving documents. These systems are of outstanding importance for the company to be able to reproduce processes, decisions and agreements.

Documentation systems are used in project documentation, **[[Technical documentation|technical documentation]]** or IT documentation. In order for them to **fulfill** their purpose, it is necessary to be able to use them to quickly collect, categorize and retrieve information.

==Documentation in a wiki==


Wikis were developed to centrally collect and organize the knowledge of different experts. They are therefore ideal documentation systems and have long since become the standard documentation system, not least in IT.

Revision as of 09:55, 3 May 2022

Tour 3 [Documentation System](#)

next: [Customer documentation](#)

A **documentation system** supports the company in archiving documents. These systems are of outstanding importance for the company to be able to reproduce processes, decisions and agreements.



Documentation systems are used in project documentation, [technical documentation](#) or IT documentation. In order for them to fulfill their purpose, it is necessary to be able to use them to quickly collect, categorize and retrieve information.

Documentation in a wiki

Wikis were developed to centrally collect and organize the knowledge of different experts. They are therefore ideal documentation systems and have long since become the standard documentation system, not least in IT.

- *Collaboration without prior knowledge:* With the visual editor, images can be quickly integrated into an article using "drag & drop".
- *Office documents:* Documents in other formats (Office, PDF etc.) can be attached to an article just as quickly.
- *Creation of structured data:* The documentation can be enriched with structured data (attributes) that can be processed inside and outside the system. (Semantic MediaWiki)
- *Page versioning:* The traceability and reproducibility of all changes in the documentation enable the management of legally required information and, if necessary, safeguard against liability.

Example pages

Customer documentation

	Contact since	2017	Status
ner	Account Manager	Doe, John	Technical Contact

Company/Development System (Contract Type: Subscription)

Company/Documentation (Contract Type: Subscription)

Company/Production System (Contract Type: Subscription)

Step-by-step instructions

coffee

er without immediately brewing coffee. Flooding can occur if the tank is filled again afterwards!



IT documentation

rowser's JavaScript console, enter `person` into it, and press `Enter / Return`. You should get a n
lines:

```
t]
```

you've just created your first object. Job done! But this is an empty object, so we can't really do
JavaScript object in our file to look like this:

```
{
  'Smith'],
  le',
  ['music', 'skiing'],
  on() {
    s.name[0] + ' ' + this.name[1] +
    this.age + ' years old. He likes ' +
```

Operating instructions

metal tines (fork) that can be pushed under the pallet. In front of the tines there are small, downwardly extendable
er side there are one or two steerable rollers. With the load and castors, the lifting tines can be adjusted parallel to
ith a hydraulic lifting cylinder and a linkage. This way, the pallet can be raised for shipping. The handle is used for
nd in non-powered devices as a lever for a hydraulic pump, which feeds the lifting cylinder. On the handle or near the
rating option for the hydraulic valve (lifting / driving / lowering). Electric pallet trucks follow the operator by means of
lles.

ions

ual UVV test (according to the guidelines of the employers' liability insurance association) is mandatory for an
c.
petence (driving license) for driving electric pallet trucks is not required if the pallet truck is controlled by a traveling
pedestrian. In this case, according to the German Employers' Liability Insurance Ordinance § 7 (2) BGV D27,
river in the handling of the lift truck is sufficient. The assignment of the driver does not have to be in writing in this



Mathematical formula

response is going to be the derivative of this:


$$\frac{di_{o\mu}}{dt} = 0 + \frac{1}{2}e^{-t}(\cos t + \sin t) - \frac{1}{2}e^{-t}(-\sin t + \cos t)$$
$$e^{-t}(\cos t + \sin t + \sin t - \cos t) = e^{-t} \sin t: I_s = 1 + \cos t$$
$$\int_0^t i_{o\mu}(t-\tau)I_s(\tau)d\tau + C_1$$
$$\int_0^t e^{-(t-\tau)} \sin(t-\tau)(1+\cos \tau)d\tau + C_1$$
$$\frac{\cos t}{5} + \frac{2 \sin t}{5} - \frac{7e^{-t} \cos t}{10} - \frac{11e^{-t} \sin t}{10} + \frac{1}{2} + C_1$$

Categorized product images

ssories (2 F)
s (4 F)

n category "Bike"

g 8 files are in this category, out of 8 total.



Category:Bike: Difference between revisions

Latest revision as of 10:09, 6 December 2021 ([view source](#))

[Demo writer](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): 2017 source edit

(No difference)

Latest revision as of 10:09, 6 December 2021

[Tour 3](#) [Documentation System](#) < [Mathematical formula](#)

Subcategories


This category has the following 2 subcategories, out of 2 total.

B


- [Bike accessories](#) (2 F)
- [Bike parts](#) (4 F)

Media in category "Bike"


The following 8 files are in this category, out of 8 total.



[E-bike.png](#) 640 × 391;
264 KB




[Fahrrad Diagramm.png](#)
1,280 × 714; 254 KB



[Fahrrad3.jpg](#) 640 ×
427; 41 KB




[icon-bike-sprint.png](#)
640 × 407; 43 KB




[Kinderfahrrad.jpg](#) 640
× 547; 72 KB



[Kinderfahrrad2.png](#)
640 × 533; 327 KB



[racing-bicycle.png](#)
1,280 × 785; 423 KB



[Vintage Fahrrad.png](#)
1,280 × 901; 380 KB

Coffeemaker: Difference between revisions

Latest revision as of 14:42, 9 February 2024 ([view source](#))

[Paul Arnoux](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): [Visual edit](#)


(No difference)

Latest revision as of 14:42, 9 February 2024

Product description

- Material: (case and basket filter holder) stainless steel
- Incl. Stainless steel insulated pump jug 2.2 liters (inside glass and outside stainless steel)
- Brewing time approx. 5 - 6 min.
- Dry run protection
- Weight: 9 kg
- Dimensions: W 195 x L 360 x H 550
- Content: Pumping jug: 2.2 liters
- Connection: 230 V - 50 Hz - 1.9 kW

How to brew coffee

 Never fill in water without immediately brewing coffee. Flooding can occur if the tank is filled again afterwards!



1. Place the empty **coffee pot** on the machine without the **pumping rod**.



2. **Turn on** the coffemaker. If water has already been added, it will start running through.




3. Put a **coffee filter** in the filter pan.



4. Add **8 measuring spoons** in the coffee filter. Use the correct spoon.



5. Attach the **filter pan** to the machine.



6. Fill the provided **measuring cup** with water to the 2 liters mark.



7. Pour the content of the measuring cup into the **water reservoir**.



8. After the coffee is ready, place the **pump stick** in the coffee pot.



9. **Enjoy your coffee!**

Electric Pallet Truck Alligator: Difference between revisions

Latest revision as of 15:29, 9 February 2024 (view source)

Sarah Naumann (talk | contribs)

No edit summary

Tag: Visual edit

(No difference)

Latest revision as of 15:29, 9 February 2024

Tour 3 Documentation System < IT documentation

next: Mathematical formula

A **pallet truck** is an industrial truck with or without electric drive. It can be used to transport transport pallets, lattice boxes and corresponding conveying aids on level surfaces. Another colloquially used name is> **ant**.

Contents

1	Description	16
2	Safety regulations	16
3	Instruction	16
4	Operating instructions	16
5	References	17

Description

A pallet truck has two metal tines (fork) that can be pushed under the pallet. In front of the tines there are small, downwardly extendable load rollers, on the other side there are one or two steerable rollers. With the load and castors, the lifting tines can be adjusted parallel to the ground in height with a hydraulic lifting cylinder and a linkage. This way, the pallet can be raised for shipping. The handle is used for moving and steering, and in non-powered devices as a lever for a hydraulic pump, which feeds the lifting cylinder. On the handle or near the steering axle is the operating option for the hydraulic valve (lifting / driving / lowering). Electric pallet trucks follow the operator by means of further switching handles.



Electric pallet truck "Ant"

Safety regulations

- In Germany, an annual [UVV](#) test (according to the guidelines of the employers' liability insurance association) is mandatory for an electric pallet truck.
- A certificate of competence (driving license) for driving electric pallet trucks is not required if the pallet truck is controlled by a traveling driver, also called a pedestrian. In this case, according to the German Employers' Liability Insurance Ordinance § 7 (2) BGV D27, instruction of the driver in the handling of the lift truck is sufficient. The assignment of the driver does not have to be in writing in this case.^[1]



ISO7010 W014 Symbol

[File:Betriebsanweisung Batteriewechsel.pdf](#)

Instruction

- Instructions must always be given when a **new employee comes to a work area** and they are, therefore, also mandatory for apprentices, trainees, temporary staff or leasing staff. The instruction should alert the employee to possible hazards, communicate the correct handling of the equipment and the loads to be transported and teach him necessary precautions for his own safety and the safety of others. The instructions may be delegated by the employer, usually to the company supervisor. The supervisor can observe the employee after instructions have been given and intervene if necessary. Traffic routes, signage, charging stations or other relevant business units must be taught as part of the operational training. Each instruction must be documented in writing and signed by the instructed person.

Operating instructions

- [In German only: BA Wechseln und Anschließen von Batterien von Staplern](#)

References

1. [↑ Unfallverhütungsvorschrift Flurförderzeuge in der Fassung vom 1. Januar 1997](#)

Tour 3 [Documentation System](#) < [IT documentation](#)

next: [Mathematical formula](#)

IT documentation: Difference between revisions

Latest revision as of 12:09, 3 December 2021 (view source)

[Horst Schreiber](#) ([talk](#) | [contribs](#))

(Created page with "{ {ContentNav|homelink=Documentation System|hometext=3|pagePrevious=Coffeemaker{ {!} }Step-by-step instructions|pageNext=Electric_Pallet_Truck_Alligator{ {!} }Operating instruction...")
[Tag](#): 2017 source edit

(No difference)

Latest revision as of 12:09, 3 December 2021

Tour 3 [Documentation System](#) < [Step-by-step instructions](#)

next: [Operating instructions](#)

BlueSpice is the knowledgebase for (almost) all IT documentation.

The wiki as IT documentation tool

Ideal use cases	Possible, but not ideal use cases
<ul style="list-style-type: none">IT process management (e.g., IT emergency manual)Software documentation and referencesOnline help, FAQ und How-to'sCustomer and installation documentationIT project documentation (z.B. rollout of new services)Compiling inventories	<ul style="list-style-type: none">Cable managementIP address management (IPAM)

Example pages

The following pages give you some ideas for using the wiki for IT documentation:

- Example of [Customer documentation](#) for [YourCompany](#)
- Graphical process description: [Relocation of IT Staff](#)
- Code editing: [Example Bash](#) or [JavaScript](#)

Impulse response: Difference between revisions

Latest revision as of 09:59, 6 December 2021 ([view source](#))

[Demo writer](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): 2017 source edit

(No difference)

Latest revision as of 09:59, 6 December 2021

[Tour 3](#) [Documentation System](#) < [Operating instructions](#)

next: [Categorized product images](#)

So far circuits have been driven by a DC source, an AC source and an exponential source. If we can find the current of a circuit generated by a Dirac delta function or impulse voltage source δ , then the convolution integral can be used to find the current to any given voltage source!

Example Impulse Response

The current is found by taking the derivative of the current found due to a DC voltage source! Say the goal is to find the δ current of a series LR circuit ... so that in the future the convolution integral can be used to find the current given any arbitrary source.

Choose a DC source of 1 volt (the real V_s then can scale off this). The particular homogeneous solution (steady state) is 0. The homogeneous solution to the non-homogeneous equation has the form:

Assume the current initially in the inductor is zero. The initial voltage is going to be 1 and is going to be across the inductor (since no current is flowing):

$$v(t) = L \frac{di(t)}{dt}; v(0) = 1 = L * \left(-\frac{AR}{L}\right);$$

If the current in the inductor is initially zero, then:

Which implies that:

So the response to a DC voltage source turning on at $t=0$ to one volt (called the unit response μ) is:

$$i_{\mu}(t) = \frac{1}{R} \left(1 - e^{-\frac{t}{\frac{L}{R}}}\right)$$

Taking the derivative of this, get the impulse (δ) current is:

Now the current due to any arbitrary $V_S(t)$ can be found using the convolution integral:

Don't think i_o as current. It is really $\frac{d}{dt} \frac{\text{current}}{1\text{volt}} \cdot V_S(\tau)$ turns into a multiplier.

LRC Example

Find the time domain expression for i_o given that $I_s = \cos(t + \pi/2)\mu(t)$ amp.

Earlier the step response for this problem was found:

The impulse response is going to be the derivative of this:

$$i_o(t) = \int_0^t i_{os}(t - \tau) I_s(\tau) d\tau + C_1$$

The Mupad code to solve the integral (substituting x for τ) is:

```
f := exp(-(t-x)) * sin(t-x) * (1 + cos(x));  
S := int(f, x = 0..t)
```

Finding the integration constant

This implies:

Technical documentation: Difference between revisions

Latest revision as of 10:06, 3 May 2022 ([view source](#))

[Demo writer](#) ([talk](#) | [contribs](#))

No edit summary

[Tag](#): 2017 source edit

(No difference)

Latest revision as of 10:06, 3 May 2022

BlueSpice is the platform for technical documentation.

Wiki as a tool for technical documentation

External technical documentation	Interne Technische Dokumentation
<p>It ensures that the product can be commissioned, used, maintained and, if necessary, disposed of safely and as intended.</p> <p>The external documentation is usually created by technical editors and usually translated into the language of the respective user. Examples of external technical documentation:</p>	<p>Sie dient der internen Archivierung aller produktrelevanten Dokumente und der Nachweispflicht, alle rechtlichen Pflichten eingehalten zu haben. Sie kann den gesamten Produktlebenszyklus von der Produktplanung über Entwicklung, Markteinführung und Produktbeobachtung bis zur Einstellung des Produkts umfassen. Typische Bestandteile eine internen Dokumentation sind:</p>
<ul style="list-style-type: none">• Gebrauchs-/ Betriebs-/ Bedienungsanleitung,• Installations- und Montageanleitung,• Serviceanleitungen, Wartungs- und Reparaturanleitung,• Software-Handbücher, Benutzerhandbuch und Online-Hilfe,• Projektdokumentationen,• Produktdokumentation und Datenblätter,	<ul style="list-style-type: none">• Instructions for use / operating / operating instructions,• installation and assembly instructions,• Service instructions, maintenance and repair instructions,• software manuals, user guide and online help,• project documentation,• product documentation and data sheets,

External technical documentation	Interne Technische Dokumentation
<ul style="list-style-type: none">• Sicherheitsanweisungen / Arbeitssicherheit,• Produktvideos, Tutorial usw.	<ul style="list-style-type: none">• safety instructions / occupational safety,• Product videos, tutorial, etc.

You can get a first impression at the following pages:

- [Electric_Pallet_Truck_Alligator](#)
- [Caustic_Soda](#)
- [Coffeemaker](#)
- [Categorized product pictures](#)

User:WikiSysop: Difference between revisions

Latest revision as of 16:13, 1 December 2021 ([view source](#))

[Demo writer](#) ([talk](#) | [contribs](#))

([create user page](#))

(No difference)

Latest revision as of 16:13, 1 December 2021

YourCompany: Difference between revisions

Latest revision as of 15:27, 9 February 2024 (view source)

Sarah Naumann (talk | contribs)

No edit summary

Tag: Visual edit

(No difference)

Latest revision as of 15:27, 9 February 2024

Tour 3

Documentation System

next: Step-by-step instructions

Headquarters	Munich	Contact since	2017	Status	
Partnership	no Partner	Account Manager	Doe, John	Technical Contact	Schreiber, Horst

Contracts	<div>1. YourCompany/Development System (Contract Type: Subscription)</div> <div>2. YourCompany/Documentation (Contract Type: Subscription)</div> <div>3. YourCompany/Production System (Contract Type: Subscription)</div>
-----------	--

Minutes	no minutes available
---------	----------------------

Contents

1

Initial situation and requirements

26

2

Installations

26

3

Project history

26

4

Technical notes for Maintenance and Support

26

5

Marketing and Sales

26

6

Other notes and experiences

26

Initial situation and requirements

YourCompany came to us in February 2017 to build a wiki system. MediaWiki was tested as an alternative and was not user-friendly enough. In addition, it lacked many functionalities of BlueSpice.

Installations

Create a new installation profile.

- Project: [YourCompany/Development System](#)
- Project: [YourCompany/Documentation](#)
- Project: [YourCompany/Production System](#)

Link to the Hallo Welt! internal test system:

Project history

Year	Milestone	Contact
2017	Setup Wikisystem	Sarah Naumann

Technical notes for Maintenance and Support

- External Access: VPN
- Internal deployment notes: no special features
- Special processes (e.g.: maintenance cycles, cooperation partners, handling of the staging system, etc.): IT-Systemhaus is the main service provider

Marketing and Sales

- Special contractual arrangements (maintenance, framework contract): none
- Usable screenshots: none

Other notes and experiences
